



Demand more. Choose Foster

EPRO20BSR

Pro 20 Tray Upright Refrigerator Cabinet




Temperature



Refrigerator
1/4 C

Dimensions (mm)



Capacity

Features & Benefits

The Foster Bakery Range helps you plan and prepare your production to overcome the peaks and troughs associated with every bakery, ensuring you make the very best use of your time and available storage space.

- State of the art design - giving the reliability, energy efficiency and performance you expect from Foster
- Provides ideal back up storage of ingredients such as high risk dairy products, and frozen products.
- Two capacities single door 20 tray and two door 40 tray
- Provide ideal storage of all the ingredients required in a busy bakery
- ECA Scheme Approved - as ECA products are guaranteed to be energy efficient, money can be claimed back on your investment

Supplied as Standard Optional Not Available Yes No

External Finish

304 Stainless Steel

Internal Finish

304 Stainless Steel

Aluminium

Shelving

Bakery Tray - 30x18 Capacity: **20**

Bakery Tray - 60x40 Capacity: **20**

Doors

Solid Full

Hinged - Right Hand

Hinged - Left Hand

Base Fittings

80mm Castors

Refrigeration

Forced Air

Integral

R134a

Thermal Heat Rejection (Kw/24hrs)

Noise DBA

Drain Required?

Electrical Data

230 Volts	<input checked="" type="radio"/>
50Hz	<input checked="" type="radio"/>
1 Phase	<input checked="" type="radio"/>
kW per 24 hr (R290a)	2.28
Test Standard	EN441
Source	ECA test
Watts	<input type="radio"/>
Fuse Required	13 amp

Foot Notes

- Bakers trays not supplied as standard
- All the above models are built to take 30" x 18" trays as standard. If it is required to take 60 x 40 cm trays, please specify this at the time of ordering by adding a 'C' prefix eg. C PRO 20 DR
- Extra pairs of stainless steel trayslides available

Contact

Foster Refrigerator

Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
United Kingdom

Telephone: **0843 216 8800**

Facsimile: **0843 216 4700**

sales@foster-uk.com





GUARANTEEING YOU THE GREENEST REFRIGERATION AVAILABLE



Authorised User No. 00101