



Demand more. Choose Foster

EPRO40BSF

Pro 40 Tray Upright Cabinet





Temperature



Freezer
-18/-21 C

Dimensions (mm)

	W 1440	D 916
H 2068		

Capacity

Features & Benefits

The Foster Bakery Range helps you plan and prepare your production to overcome the peaks and troughs associated with every bakery, ensuring you make the very best use of your time and available storage space.

- State of the art design - giving the reliability, energy efficiency and performance you expect from Foster
- Provides ideal back up storage of ingredients such as high risk dairy products, and frozen products.
- Two capacities single door 20 tray and two door 40 tray
- Provide ideal storage of all the ingredients required in a busy bakery
- High Quality 304 Stainless Steel Exterior Build Quality

☒ Supplied as Standard
 ☐ Optional
 ☐ Not Available
 ☒ Yes
 ☒ No

External Finish

304 Stainless Steel ☒

Internal Finish

304 Stainless Steel ☐

Aluminium ☒

Shelving

Bakery Tray - 30x18 ☒ Capacity: **40**

Bakery Tray - 60x40 ☐ Capacity: **40**

Doors

Solid Full ☒

Base Fittings

80mm Castors ☒

Refrigeration

Forced Air ☒

Integral ☒

R404a ☒

Thermal Heat Rejection (Kw/24hrs) ☐

Noise DBA ☐

Drain Required? ☒

Electrical Data

230 Volts	<input checked="" type="radio"/>
50Hz	<input checked="" type="radio"/>
1 Phase	<input checked="" type="radio"/>
kW per 24 hr (R290a)	16.5
Test Standard	EN441
Source	Estimate
Watts	<input type="radio"/>
Fuse Required	13 amp

Foot Notes

- Bakers trays not supplied as standard
- All the above models are built to take 30" x 18" trays as standard. If it is required to take 60 x 40 cm trays, please specify this at the time of ordering by adding a 'C' prefix eg. C PRO 20 DR
- Extra pairs of stainless steel trayslides available

Contact

Foster Refrigerator

Oldmedow Road
King's Lynn
Norfolk
PE30 4JU
United Kingdom

Telephone: **0843 216 8800**

Facsimile: **0843 216 4700**

sales@foster-uk.com



GUARANTEEING YOU THE GREENEST REFRIGERATION AVAILABLE